

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

ſ	APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
•	10/073,063	02/12/2002 .	Olev Trass	228-082/HRH	2398
	1059 BERESKIN AN	7590 03/22/200 ND PARR	7	EXAM	IINER
	40 KING STRE	EET WEST		TOOMER, CEPHIA D	
	BOX 401 TORONTO, OI	N M5H 3Y2		ART UNIT	PAPER NUMBER
	CANADA			1714	
<u></u>					
l	SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
	3 MO	NTHS	03/22/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

				/		
	Application No.	Applicant(s)				
<u>_</u>	10/073,063	TRASS ET AL.				
Office Action Summary	Examiner	Art Unit				
	Cephia D. Toomer	1714				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the o	correspondence a	ddress			
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this D (35 U.S.C. § 133).		YS,		
Status						
1) Responsive to communication(s) filed on 2a) This action is FINAL . 2b) This 3) Since this application is in condition for alloware closed in accordance with the practice under <i>B</i> .	s action is non-final. nce except for formal matters, pro		e merits is			
Disposition of Claims						
4) Claim(s) is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or comparison.	wn from consideration.					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicated any objection to the Replacement drawing sheet(s) including the correct and the oath or declaration is objected to by the Examine	cepted or b) objected to by the drawing(s) be held in abeyance. Settion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 C	· ·			
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Do 5) Notice of Informal F 6) Other:	ate		,		

Application/Control Number: 10/073,063 Page 2

Art Unit: 1714

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

- 1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on December 22, 2006 has been entered.
- 2. This Office action is in response to the amendment filed December 22, 2006 in which claims 35-40 were added.
- 3. The rejections of the claims under 35 U.S.C. 103(a) are withdrawn in view of Applicant's arguments.

Claim Rejections - 35 USC § 112

- 4. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 5. Claim 28 and claims 35-37 are rejected under 35 U.S.C. 112, first paragraph, as based on a disclosure which is not enabling. Excess water is needed to initiate hydration is critical or essential to the practice of the invention, but not included in the claim(s) is not enabled by the disclosure. See *In re Mayhew*, 527 F.2d 1229, 188

Application/Control Number: 10/073,063 Page 3

Art Unit: 1714

USPQ 356 (CCPA 1976). Applicant discloses at page 4, lines 12-15 that in accordance with this invention excess water is needed to initiate hydration.

- 6. The following is a quotation of the second paragraph of 35 U.S.C. 112:

 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 7. Claims 6, 8, 12-14, 25, 32-34, 39 and their dependents are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 6 is rejected because there is no antecedent support for "dry ash".

Claim 8 is rejected because there is no antecedent support "the dry ash".

Claims 12, 32 and their dependents are rejected because the language "will produce" is not positive process language. Therefore, no agglomerate forms.

Claim 25 is rejected because it is not clear what happens to the drying agent.

Claim 39 and its dependent are rejected because there is no antecedent support for "said mixture".

8. Claim 38 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The prior art does not teach or suggest the claimed process wherein the water is present in an excess amount greater than the stoichiometric amount required to hydrate the ash.

9. Claims 17-24, 26, 27 and 29 are allowable because the prior art fails to teach or suggest reactivation of the ash by simultaneously grinding and hydrating the ash.

Application/Control Number: 10/073,063 Page 4

Art Unit: 1714

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cephia D. Toomer whose telephone number is 571-272-1126. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vasu Jagannathan can be reached on 571-272-1119. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Primary Examiner

Art Unit 1714